



Environmental Family

SPLITCART SERIES

64 US GAL (240L)

95 US GAL (360L)



ENVIRONMENTAL

The optimal solution
to collect two material
streams in one cart
with one truck.

Environmental Family

Collect Two Material Streams In One Cart



Collection bin for semi-automated Type B American and Type C European grips.



Features & Benefits

- IPL's injection process uses high density polyethylene (HDPE) that yields precise design and consistent thicknesses
- UV stabilized against long-term effects of the sun
- 100% recyclable
- Unibody design requires no bolts or holes that could potentially leak
- Designed for maximum wind stability
- Sophisticated dual lid design keeps insect and moisture out of the cart
- Attached lids have a pitched, open to center design, with a gutter system built in to drain water
- Multilingual user instructions
- Ergonomic design allows for easy handling
- Dual lids act as deflectors to prevent cross contamination
- Molded anti-wear strip
- Snap on wheels without tools
- Corrosion-resistant zinc-plated steel axle
- Lids attached in the center with a plastic rod
- Rotating metal catch bar

SplitCart methodology can boost collection efficiency by:

Increasing organic waste collection.

Reducing food scrap contamination.

Decreasing recycling contamination.

Options




Organic



Waste and recycling



Multicolor hot stamping



Optional 25.4 cm (10")
IPL Bi-material wheel



62/38



In mold labeling - IML (LID)


- Hot-stamping or IML, sequential serial numbers and barcodes
- RFID tag inserted in handle
- Post-consumer resin (PCR)
- Standard lip for American and European grips
- RFID label and barcode option available for quick identification
- Injection molding labeling (IML) on lid to identify collection type



Environmental Family Specifications

Volume	64 US GAL / 240L (MC1012)		95 US GAL / 360L (MC462)	
	in	cm	in	cm
Depth	27.5	69.9	33.75	85.7
Width	24.5	62.2	26.25	66.7
Height	43.25	109.9	46.25	117.5
Wheel diameter	8 – 10 – 12	20 – 25 – 30	10 – 12	25 – 30
Standard Axle	0.75	1.9	0.75	1.9
	lbs.	kg	lbs.	kg
Load rating	240	109	335	152
Assembly weight	32 to 36	15 to 17	39 to 45	18 to 20

Standard Colors:



Other colors available upon request. Colors shown may vary slightly from actual product.



Certifications

When you choose IPL, you work with a recognized industry leader. IPL was the first plastic injection company to achieve ISO 9001 quality certification in North America. The addition of ISO/TS16949 certification further demonstrates IPL's commitment to quality. These quality initiatives demonstrate our capabilities and know-how.

Warranty

- 10-year limited warranty
- IPL's high density polyethylene (HDPE) injection molding process yields precise design and consistent thicknesses
- Stands up to inclement weather and impacts; estimated service life of 20 years
- UV stabilized for long-term protection against the effects of the sun
- Most durable cart in North America
- Meets all American National Standard Institute (ANSI) requirements for safety and litter system